

**RECEIVED
CENTRAL FAX CENTER**

Application No: 10/539,839
Amendment A
Reply to Office Action Dated 08/20/2007

OCT 24 2007

Attorney Docket No: 3926.163

IN THE CLAIMS:

The following listing of claims replaces any earlier listing:

1. (currently amended) A method for detecting surroundings by means of an automotive night vision system of a vehicle having a high beam headlight illuminating a high beam area and a low beam headlight illuminating a low beam area, the method comprising:
dividing the area covered by the system into several areas, including
 ~~[[-]]~~ a detection area, wherein the night vision system is sensitive at least to optical radiation in the IR wavelength region and detects data relating to the surroundings, and
 ~~[[-]]~~ an area of representation, wherein information from the data relating to the surroundings detected by the night vision system is represented optically to the driver by means of a display device,
 ~~wherein said vehicle has a high beam headlight illuminating a high beam area and a low beam headlight illuminating a low beam area, and wherein~~ restricting the area of representation comprises to comprise at most the high beam area of the vehicle.
2. (currently amended) The method as claimed in claim 1, ~~wherein~~ further comprising:
 providing an evaluation area ~~is provided~~ within which the data relating to the surroundings detected by means of the night vision system are subjected to evaluation.
3. (currently amended) The method as claimed in claim 1, ~~wherein~~ further comprising:
 providing the area of representation with a tolerance area ~~adjoins the area of representation.~~
4. (previously presented) The method as claimed in claim 1, wherein the area of

{WP431688;1}

- 2 -

Application No: 10/539,839
Amendment A
Reply to Office Action Dated 08/20/2007

Attorney Docket No: 3926.163

representation comprises at least a part of the low beam area.

5. (currently amended) The method as claimed in claim ~~[[1]]~~ 2, wherein the evaluation area comprises at least the high beam area.
6. (currently amended) The method as claimed in claim ~~[[1]]~~ 2, wherein the objects detected by means of the evaluation in the area of representation are emphasized in the optical representation.
7. (currently amended) The method as claimed in claim ~~[[1]]~~ 6, wherein the information relating to the objects detected during the evaluation in the evaluation area is made available to internal vehicle systems for further evaluation.
8. (previously presented) The method as in claim 2, wherein said evaluation is object recognition.
9. (new) The method as in claim 8, wherein the evaluation area is automatically expanded when an object recognized is located only partially in the evaluation area until the object has been completely evaluated.
10. (new) The method as in claim 2, wherein the evaluation area includes the entire detection area of the night vision system.
11. (new) The method as in claim 8, wherein objects located directly in front of the vehicle are not recognized.
12. (new) The method as in claim 3, wherein the tolerance area is permanently prescribed.

{WP431688/1}

- 3 -

Application No: 10/539,839
Amendment A
Reply to Office Action Dated 08/20/2007

Attorney Docket No: 3926.163

13. (new) The method as in claim 3, wherein the tolerance area is automatically controlled on the basis of vehicle variables or variables of the surroundings.
14. (new) The method as in claim 10, wherein the tolerance area is set as a function of an evaluation of data relating to the surroundings.
15. (new) The method as in claim 11, wherein the tolerance area is automatically expanded whenever an object is situated only partially in the current area of representation in such a way that the object is covered completely by the expanded area of representation.